Index to Volume 16, 1995

Author/Title Index

Akintunde, K. *See* Babus'Haq, R. F., 50
Akyurt, M., Lamfon, N. J., Najjar, Y.S.H., Habeebullah, M. H. and Alp, T. Y.: Modeling of waste heat recovery by looped water-in-steel heat pipes, 263
Ali, M. E.: On thermal boundary layer on a power-law stretched surface with suction or injection, 280
Alp, T. Y. *See* Akyurt, M., 263
Asano, T. *See* Obi, S., 398
Aung, W. *See* Jeng, Y. N., 25
Azevedo, I., Lebouche, M. and Devienne, R.: Laminar cooling of pseudoplastic fluids flowing through cylindrical horizontal pipes, 125

Babus'Haq, R. F., Akintunde, K. and Probert, S. D.: Thermal performance of a pin-fin assembly, 50
Balaji, C. and Venkateshan, S. P.: Combined conduction, convection and radiation in a slot, 139
Baughn, J. W.: Liquid crystal methods for studying turbulent heat transfer, 365
Bejan, A. *See* Vargas, J.V.C., 211
Bejan, A., Kim, S. J., Morega, Al. M. and Lee, S. W.: Cooling of stacks of plates shielded by porous screens, 16
Beppu, H. *See* Miyake, Y., 333
Bethancourt, A. M. *See* Obi, S., 398
Bisaka, T. *See* Inoue, O., 327
Brun, K. *See* Flack, R. D., 106

Cakmakci, S. R. and Hankey, W. L.: Parabolic numerical method for investigating free surface flows, 178
Chakroun, W., Taylor, R. and Medhin, M.: Investigation of the effect of a smooth strip on rough-wall turbulent boundary layers, 163
Chang, F. and Dhir, V. K.: Mechanisms of heat transfer enhancement and slow decay of swirl in tubes using tangential injection, 78
Chen, J. and Herold, K. E.: Buoyancy effects on the mass transfer in absorption with a nonabsorbable gas, 536
Chen, J. L. *See* Jeng, Y. N., 25
Chen, Y-Y *See* Jeng, Y. N., 25
Chew, J. W., Lapworth, B. L. and Millener, P. J.: Mathematical modeling of brush seals, 493
Chew, Y. T. *See* Zhang, D. H., 88
Chew, Y. T., Shi, S. X. and Khoo, B. C.: On the numerical near-wall corrections of single hot-wire measurements, 471
Chung, M. K. *See* Kim, S. K., 194
Comte, P. *See* Ducros, F., 341
Cotton, M. A. and Kirwin, P. J.: A variant of the low-Reynolds-number two-equation turbulence model applied to variable property mixed convection flows, 486

Dall'Olio, R. *See* Spiga, M., 307
Devienne, R. *See* Azevedo, I., 125; Nouar, C., 223
Dhir, V. K. *See* Chang, F., 78
Dong, Z. F. and Ebadian, M. A.: Numerical simulation of double diffusive convection in a V-shaped sump, 236
Ducros, F., Comte, P. and Lesieur, M.: Large-eddy simulation of a spatially growing boundary layer over an adiabatic flat plate at low Mach number, 341

Ebadian, M. A. *See* Dong, Z. F., 236
Echigo, R. *See* Obi, S., 398
Eggels, J.G.M. and Somers, J. A.: Numerical simulation of free convective flow using the lattice-Boltzmann scheme, 357
El-Shaarawi, M.A.I. *See* Kodah, Z., 36
Escudier, M. P. and Gouldson, I. W.: Concentric annular flow with centerbody rotation of a Newtonian and a shear-thinning liquid, 156

Facas, G. N.: Natural convection from a buried elliptic heat source, 519
Fang, P. P. *See* Manglik R. M., 298
Fiebig, M.: Embedded vortices in internal flow: heat transfer and pressure loss enhancement, 376
Flack, R. D., Brun, K. and Schnipke, R. J.: Measurement and prediction of natural convection velocities in triangular enclosures, 106
Flamant, G. *See* Lu, J. D., 131
Floryan, J. M. and Novak, M.: Free convection heat transfer in multiple vertical channels, 244
Fossa, M.: A simple model to evaluate direct contact heat transfer and flow characteristics in annular two-phase flow, 272
Frederick, R. L. and Valencia, A.: Natural convection in central microcavities of vertical, finned enclosures of very high aspect ratios, 114

Gao, S. and Voke, P. R.: Large-eddy simulation of turbulent heat transport in enclosed impinging jets, 349
Garg, V. K. *See* Velusamy, K., 145
Gorla, R.S.R. and Nakamura, S.: Mixed convection of a micropolar fluid from a rotating cone, 69
Gorla, R.S.R., Takhar, H.S., Slaouti, A., Pop, I. and Kumari, M.: Free convection in power-law fluids near a three-dimensional stagnation point, 62
Görres, J., Schnell, U. and Hein, K.R.G.: Trajectories of burning coal particles in highly swirling reactive flows, 440
Gouldson, I. W. *See* Escudier, M. P., 156

Habeebullah, M. H. *See* Akyurt, M., 263
Hanjalić, K. *See* Kenjereć, S., 429
Hankey, W. L. *See* Cakamakci, S. R., 178
Heggs, P. J. *See* Ingham, D. B., 202
Heindel, T. J., Incropera, F. P. and Ramadhyani: Conjugate natural convection from an array of discrete heat sources: part 2—a numerical parametric study, 511
Heindel, T. J., Ramadhyani, S. and Incropera, F. P.: Conjugate natural convection from an array of discrete heat sources: part 1—two- and three-dimensional model validation, 501
Hein, K.R.G. *See* Görres, J., 440
Herold, K. E. *See* Chen, J., 536
Hishida, K. *See* Mori, Y. S., 405
Hyun, J. M. *See* Sung, H. J., 527

Iacovides, H. and Launder, B. E.: Computational fluid dynamics applied to internal gas-turbine blade cooling: a review, 454
Iida, O. *See* Kasagi, N., 2
Ince, N. Z. and Launder, B. E.: Three-dimensional and heat-loss effects on turbulent flow in a nominally two-dimensional cavity, 171
Incropera, F. P. *See* Heindel, T. J., 501
Ingham, D. B., Watson, P. and Heggs, P. J.: Recirculating laminar mixed convection in a horizontal parallel plate duct, 202
Inoue, O., Yamazaki, T. and Bisaka, T.: Numerical simulation of forced wakes around a cylinder, 327

Jeng, Y. N., Chen, J. L., Chen, Y.-Y., and Aung, W.: Heat transfer enhancement in a vertical channel with asymmetric isothermal walls by local blowing or suction, 25

Kasagi, N. and Matsunaga, A.: Three-dimensional particle-tracking velocimetry measurement of turbulence statistics and energy budget in a backward-facing step flow, 477
Kasagi, N., Sumitani, Y., Suzuki, Y. and Iida, O.: Kinematics of the quasi-coherent vortical structure in near-wall turbulence, 2
Kendoush, A. A.: Low Prandtl number heat transfer to fluids flowing past an isothermal spherical particle, 291
Kenjere´c, S. and Hanjalié, K.: Prediction of turbulent thermal convection in concentric and eccentric horizontal annuli, 429
Khoo, B. C. *See* Chew, Y. T., 471
Kim, S. J. *See* Bejan, A., 16; Vafai, S. J., 11
Kim, S. K. and Chung, M. K.: Roles of pressure transport and intermittency for computation of turbulent free shear flows, 194
Kim, S. Y. *See* Sung, H. J., 527
Kirwin, P. J. *See* Cotton, M. A., 486
Kobayashi, K. P. *See* Obi, S., 398
Kodah, Z. and El-Shaarawi, M.A.I.: Induced flow in isothermally heated vertical annuli with two rotating boundaries, 36
Kumari, M. *See* Gorla, R.S.R., 62

Lamfon, N. J. *See* Akyurt, M., 263
Lapworth, B. L. *See* Chew, J. W., 493
Launder, B. E. *See* Iacovides, H., 454; Ince, N. Z., 171
Laursen, T. A. *See* Vargas, J.V.C., 211
Lebouché, M. *See* Nouar, C., 223
Lebouche, M. *See* Azevedo, I., 125
Lee, S. W. *See* Bejan, A., 16
Lesieur, M. *See* Ducros, F., 341; Métais, O., 315
Lock, G.S.H. *See* Minhas, H., 186
Lu, J. D. and Flamant, G.: A quantitative analysis of heat transfer regimes in gas-solid fluidized beds, 131

Int. J. Heat and Fluid Flow 16: 546–548, 1995

© 1995 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0142-727X/95/$10.00
SSDI 0142-727X(95)00114-X

Index to Volume 16, 1995

Author/Title Index

Akintunde, K. *See* Babus'Haq, R. F., 50
Akyurt, M., Lamfon, N. J., Najjar, Y.S.H., Habeebullah, M. H. and Alp, T. Y.: Modeling of waste heat recovery by looped water-in-steel heat pipes, 263
Ali, M. E.: On thermal boundary layer on a power-law stretched surface with suction or injection, 280
Alp, T. Y. *See* Akyurt, M., 263
Asano, T. *See* Obi, S., 398
Aung, W. *See* Jeng, Y. N., 25
Azevedo, I., Lebouche, M. and Devienne, R.: Laminar cooling of pseudoplastic fluids flowing through cylindrical horizontal pipes, 125

Babus'Haq, R. F., Akintunde, K. and Probert, S. D.: Thermal performance of a pin-fin assembly, 50
Balaji, C. and Venkateshan, S. P.: Combined conduction, convection and radiation in a slot, 139
Baughn, J. W.: Liquid crystal methods for studying turbulent heat transfer, 365
Bejan, A. *See* Vargas, J.V.C., 211
Bejan, A., Kim, S. J., Morega, Al. M. and Lee, S. W.: Cooling of stacks of plates shielded by porous screens, 16
Beppu, H. *See* Miyake, Y., 333
Bethancourt, A. M. *See* Obi, S., 398
Bisaka, T. *See* Inoue, O., 327
Brun, K. *See* Flack, R. D., 106

Cakmakci, S. R. and Hankey, W. L.: Parabolic numerical method for investigating free surface flows, 178
Chakroun, W., Taylor, R. and Medhin, M.: Investigation of the effect of a smooth strip on rough-wall turbulent boundary layers, 163
Chang, F. and Dhir, V. K.: Mechanisms of heat transfer enhancement and slow decay of swirl in tubes using tangential injection, 78
Chen, J. and Herold, K. E.: Buoyancy effects on the mass transfer in absorption with a nonabsorbable gas, 536
Chen, J. L. *See* Jeng, Y. N., 25
Chen, Y-Y *See* Jeng, Y. N., 25
Chew, J. W., Lapworth, B. L. and Millener, P. J.: Mathematical modeling of brush seals, 493
Chew, Y. T. *See* Zhang, D. H., 88
Chew, Y. T., Shi, S. X. and Khoo, B. C.: On the numerical near-wall corrections of single hot-wire measurements, 471
Chung, M. K. *See* Kim, S. K., 194
Comte, P. *See* Ducros, F., 341
Cotton, M. A. and Kirwin, P. J.: A variant of the low-Reynolds-number two-equation turbulence model applied to variable property mixed convection flows, 486

Dall'Olio, R. *See* Spiga, M., 307
Devienne, R. *See* Azevedo, I., 125; Nouar, C., 223
Dhir, V. K. *See* Chang, F., 78
Dong, Z. F. and Ebadian, M. A.: Numerical simulation of double diffusive convection in a V-shaped sump, 236
Ducros, F., Comte, P. and Lesieur, M.: Large-eddy simulation of a spatially growing boundary layer over an adiabatic flat plate at low Mach number, 341

Ebadian, M. A. *See* Dong, Z. F., 236
Echigo, R. *See* Obi, S., 398
Eggels, J.G.M. and Somers, J. A.: Numerical simulation of free convective flow using the lattice-Boltzmann scheme, 357
El-Shaarawi, M.A.I. *See* Kodah, Z., 36
Escudier, M. P. and Gouldson, I. W.: Concentric annular flow with centerbody rotation of a Newtonian and a shear-thinning liquid, 156

Facas, G. N.: Natural convection from a buried elliptic heat source, 519
Fang, P. P. *See* Manglik R. M., 298
Fiebig, M.: Embedded vortices in internal flow: heat transfer and pressure loss enhancement, 376
Flack, R. D., Brun, K. and Schnipke, R. J.: Measurement and prediction of natural convection velocities in triangular enclosures, 106
Flamant, G. *See* Lu, J. D., 131
Floryan, J. M. and Novak, M.: Free convection heat transfer in multiple vertical channels, 244
Fossa, M.: A simple model to evaluate direct contact heat transfer and flow characteristics in annular two-phase flow, 272
Frederick, R. L. and Valencia, A.: Natural convection in central microcavities of vertical, finned enclosures of very high aspect ratios, 114

Gao, S. and Voke, P. R.: Large-eddy simulation of turbulent heat transport in enclosed impinging jets, 349
Garg, V. K. *See* Velusamy, K., 145
Gorla, R.S.R. and Nakamura, S.: Mixed convection of a micropolar fluid from a rotating cone, 69
Gorla, R.S.R., Takhar, H.S., Slaouti, A., Pop, I. and Kumari, M.: Free convection in power-law fluids near a three-dimensional stagnation point, 62
Görres, J., Schnell, U. and Hein, K.R.G.: Trajectories of burning coal particles in highly swirling reactive flows, 440
Gouldson, I. W. *See* Escudier, M. P., 156

Habeebullah, M. H. *See* Akyurt, M., 263
Hanjalić, K. *See* Kenjereć, S., 429
Hankey, W. L. *See* Cakamakci, S. R., 178
Heggs, P. J. *See* Ingham, D. B., 202
Heindel, T. J., Incropera, F. P. and Ramadhyani: Conjugate natural convection from an array of discrete heat sources: part 2—a numerical parametric study, 511
Heindel, T. J., Ramadhyani, S. and Incropera, F. P.: Conjugate natural convection from an array of discrete heat sources: part 1—two- and three-dimensional model validation, 501
Hein, K.R.G. *See* Görres, J., 440
Herold, K. E. *See* Chen, J., 536
Hishida, K. *See* Mori, Y. S., 405
Hyun, J. M. *See* Sung, H. J., 527

Iacovides, H. and Launder, B. E.: Computational fluid dynamics applied to internal gas-turbine blade cooling: a review, 454
Iida, O. *See* Kasagi, N., 2
Ince, N. Z. and Launder, B. E.: Three-dimensional and heat-loss effects on turbulent flow in a nominally two-dimensional cavity, 171
Incropera, F. P. *See* Heindel, T. J., 501
Ingham, D. B., Watson, P. and Heggs, P. J.: Recirculating laminar mixed convection in a horizontal parallel plate duct, 202
Inoue, O., Yamazaki, T. and Bisaka, T.: Numerical simulation of forced wakes around a cylinder, 327

Jeng, Y. N., Chen, J. L., Chen, Y.-Y., and Aung, W.: Heat transfer enhancement in a vertical channel with asymmetric isothermal walls by local blowing or suction, 25

Kasagi, N. and Matsunaga, A.: Three-dimensional particle-tracking velocimetry measurement of turbulence statistics and energy budget in a backward-facing step flow, 477
Kasagi, N., Sumitani, Y., Suzuki, Y. and Iida, O.: Kinematics of the quasi-coherent vortical structure in near-wall turbulence, 2
Kendoush, A. A.: Low Prandtl number heat transfer to fluids flowing past an isothermal spherical particle, 291
Kenjere´c, S. and Hanjalié, K.: Prediction of turbulent thermal convection in concentric and eccentric horizontal annuli, 429
Khoo, B. C. *See* Chew, Y. T., 471
Kim, S. J. *See* Bejan, A., 16; Vafai, S. J., 11
Kim, S. K. and Chung, M. K.: Roles of pressure transport and intermittency for computation of turbulent free shear flows, 194
Kim, S. Y. *See* Sung, H. J., 527
Kirwin, P. J. *See* Cotton, M. A., 486
Kobayashi, K. P. *See* Obi, S., 398
Kodah, Z. and El-Shaarawi, M.A.I.: Induced flow in isothermally heated vertical annuli with two rotating boundaries, 36
Kumari, M. *See* Gorla, R.S.R., 62

Lamfon, N. J. *See* Akyurt, M., 263
Lapworth, B. L. *See* Chew, J. W., 493
Launder, B. E. *See* Iacovides, H., 454; Ince, N. Z., 171
Laursen, T. A. *See* Vargas, J.V.C., 211
Lebouché, M. *See* Nouar, C., 223
Lebouche, M. *See* Azevedo, I., 125
Lee, S. W. *See* Bejan, A., 16
Lesieur, M. *See* Ducros, F., 341; Métais, O., 315
Lock, G.S.H. *See* Minhas, H., 186
Lu, J. D. and Flamant, G.: A quantitative analysis of heat transfer regimes in gas-solid fluidized beds, 131

Int. J. Heat and Fluid Flow 16: 546–548, 1995

© 1995 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0142-727X/95/$10.00
SSDI 0142-727X(95)00114-X

Maeda, M. *See* Mori, Y. S., 405
Manglik, R. M. and Fang, P. P.: Effect of eccentricity and thermal boundary conditions on laminar fully developed flow in annular ducts, 298
Matsunaga, A. *See* Kasagi, N., 477
Medhin, M. *See* Chakroun, W., 163
Métais, O. and Lesieur, M.: Coherent vortices in thermally stratified and rotating turbulence, 315
Millener, P. J. *See* Chew, J. W., 493
Minhas, H., Lock, G.S.H. and Wu, M.: Flow characteristics of an air-filled bayonet tube under laminar conditions, 186
Miyake, Y, Tsujimoto, K. and Beppu, H.: Direct numerical simulation of a turbulent flow in a channel having periodic pressure gradient, 333
Morega, Al. M. *See* Bejan, A., 16
Mori, Y. S., Hishida, K. and Maeda, M.: Buoyancy effects on the wake behind a heated obstacle immersed in a turbulent boundary layer, 405

Najjar, Y.S.H. *See* Akyurt, M., 263
Nakamura, S. *See* Gorla, R.S.R., 69
Nakatani, M. *See* Yao, M., 389
Nield, D. A.: Onset of convection in a porous medium with nonuniform time-dependent volumetric heating, 217
Nouar, C., Lebouché, M., Devienne, R. and Riou, C.: Numerical analysis of the thermal convection for Herschel-Bulkley fluids, 223
Novak, M. *See* Floryan, J. M., 244

Obi, S., Kobayashi, K. P., Bethancourt, A. M., Yoshida, H., Asano, T. and Echigo, R.: Experimental and computational study of turbulent heat transfer characteristics in serrated channel flow, 398

Poots, G. and Skelton, P.L.I.: Thermodynamic models of wet-snow accretion: axial growth and liquid water content on a fixed conductor, 43
Pop, I. *See* Gorla, R.S.R., 62
Probert, S. D. *See* Babus'Haq, R. F., 50

Ramadhyani, S. *See* Heindel, T. J., 501,511
Richelle, E., Tasse, R., Riethmuller, M. L.: Momentum and thermal boundary layer along a slender cylinder in axial flow, 99
Riethmuller, M. L. *See* Richelle, E., 99
Riou, C. *See* Nouar, C., 223

Schnell, U. *See* Görres, J., 440
Schnipke, R. J. *See* Flack, R. D., 106
Shi, S. X. *See* Chew, Y. T., 471
Skelton, P.L.I. *See* Poots, G., 43
Slaouti, A. *See* Gorla, R.S.R., 62
Somers, J. A. *See* Eggels, J.G.M., 357
Spiga, M. and Dall'Olio, R.: Friction factor and Nusselt number in flat tubes with rounded edges, 307
Sumitani, Y. *See* Kasagi, N., 2
Sung, H. J., Kim, S. Y. and Hyun, J. M.: Forced convection from an isolated heat source in a channel with porous medium, 527
Suzuki, K. *See* Yao, M., 389
Suzuki, Y. *See* Kasagi, N., 2

Takhar, H.S. *See* Gorla, R.S.R., 62
Tasse, R. *See* Richelle, E., 99
Taylor, R. *See* Chakroun, W., 163
Tsujimoto, K. *See* Miyake, Y., 333

Vafai, K. and Kim, S. J.: On the limitations of the Brinkman-Forchheimer-extended Darcy equation, 11
Vaidyanathan, G. *See* Velusamy, K., 145
Valencia, A. *See* Frederick, R. L., 115
Vargas, J.V.C., Laursen, T. A. and Bejan, A.: Nonsimilar solutions for mixed convection on a wedge embedded in a porous medium, 211
Velusamy, K., Garg, V. K. and Vaidyanathan, G.: Fully developed flow and heat transfer in semi-elliptical ducts, 145
Venkateshan, S. P. *See* Balaji, C., 139
Viionnet, C. A.: Numerical investigation of the sealing capacity of centrifugal instabilities in shaft seals, 254
Voke, P. R. *See* Gao, S., 349

Wang, T.-Y.: Mixed convection heat transfer from a vertical plate to non-Newtonian fluids, 56
Watson, P. *See* Ingham, D. B., 202
Winoto, S. H. *See* Zhang, D. H., 88
Wu, M. *See* Minhas, H., 186

Yamamoto, M.: Investigation of multiple-time-scale Reynolds stress model in homogeneous anisotropic turbulence, 417
Yamazaki, T. *See* Inoue, O., 327
Yao, M., Nakatani, M. and Suzuki, K.: Flow visualization and heat transfer experiments in a turbulent channel flow obstructed with an inserted square rod, 389
Yoshida, H. *See* Obi, S., 398

Zhang, D. H., Winoto, S. H. and Chew, Y. T.: Measurement in laminar and transitional boundary-layer flows on concave surface, 88

Keyword Index

Absorption chiller, 263
Aerodynamic forces, 493
Angular velocities, 36
Anisotropic porous media, 493
Annulus, 429
Annulus radius ratio, 36
Application of turbulence models, 398
Axial flow, 99
Axisymmetric flows, 99

Backward-facing step, 477
Bayonet tube, 186
Boundary layer, 69, 99, 163, 280, 291, 341
Boundary-layer flow, 88
Bristle bending, 493
Buoyancy effects, 405
Buoyancy force, 236
Buoyant flow, 171

Centerbody rotation, 156
Centrifugal instabilities, 254
Channel flow, 2, 333
Channel turbulent flow, 389
Coal combustion, 440
Coherent structure, 2
Coherent vortices, 315
Concave surface, 88
Concentric annulus, 156
Conduction, 139
Conjugate heat transfer, 501, 511
Contact forces, 493
Control volume analysis, 145
Convective heat transfer, 291
Cooling, 125
Correlations, 139
Coupling, 139
Criss-cross motion, 389
Cylinder, 99
Cylinder wakes, 327
Cylindrical duct, 223

Database, 333
Direct contact heat transfer, 272
Direct numerical simulation, 2, 333
Dispersed annular flow, 272
Double diffusive, 236
Drag reduction, 327
Duct flows, 298

Electronic cooling, 16, 501, 511
Energy budget, 477
External flow, 291

Finite elements, 254
Finned cavities, 114
Fluid flow, 50
Fluids, 125
Forced convection, 16, 405, 527
Free convection, 244
Free convection boundary layer, 62
Free convective flow, 357
Free shear flow, 194
Free surface boundary, 178
Friction factors, 202

Gas turbine engine, 263

Heat exchanger, 186, 298
Heat exchanges, 50
Heat pipe, 263
Heat recovery, 263
Heat transfer, 50, 99, 145, 1, 1, 223, 349, 365, 527
Heat transfer augmentation, 398
Heat transfer enhancement, 78, 376, 389
Heat transfer rate, 56
Helicity, 2
Herschel-Bulkley fluids, 223
Horizontal triangular enclosure, 106
Hot wire, 471

Impinging jets, 349
Induced flow characteristics, 36
Intermittency, 315
Intermittent dye injection method, 389
Internal flow, 376
Isothermal surfaces, 106

Karman vortex, 389

Laminar, 88, 125, 186
Laminar flow, 106, 145
Laminar forced convection, 298
Largangian simulation, 440
Large-eddy simulation, 315, 341, 349
Laser Doppler anemometer measurement, 398, 405
Lattice-Boltzmann scheme, 357
Lip seals, 254
Liquid crystals, 365
Local heat transfer enhancement, 25
Local Nusselt numbers, 202
Looped thermosyphon, 263

Measurement, 88
Micropolar fluids, 69
Mixed convection, 25, 69, 202, 211, 486

Mixed-convection parameter, 56
Modeling, 263
Multiple-time-scale, 417
Multiple vertical channels, 244

Natural convection, 16, 106, 114, 139, 217, 429, 501, 511
Navier-Stokes, 254
Navier-Stokes simulations, 327
Near-wall corrections, 471
Non-Darcian effects, 11
Nonequilibrium flows, 272
non-Newtonian, 156
Non-Newtonian fluids, 56, 62
Nonsimilar solutions, 211
Numerical and experimental comparisons, 501
Numerical simulation, 236, 357, 511

Obstruction by a square rod, 389
Open boundaries, 254
Overhead power conductors, 43

Parabolic method, 178
Parallel plate duct, 202
Particle-tracking velocimeter, 477
Penalty method, 254
Periodic forcing, 327
Pin-fins, 50
Pipe, 125
Porous block in a channel, 527
Porous media, 11, 211
Porous medium, 217
Power law, 280
Power-lay viscosity index, 56
Pressure drop, 223, 527
Pressure gradient, 333
Pressure loss penalty, 376
Pressure-strain correlation, 417
Pressure transport, 194
Pseudoplastic, 125

Radiation, 139
Recirculation, 202
Recirculation flow, 405
Reynolds stress, 2
Reynolds stress model, 194, 417
Rheology, 62
Rotating cone, 69
Rotation, 315
Rotational parameter, 36
Rough wall, 163
Round-edged tubes, 307

Segment of porous wall, 25
Semi-elliptical ducts, 145
Separated flow, 315, 477
Separation and impingement, 398
Separation angle, 291
Shear-thinning, 156
Skin friction coefficient, 178
Slot, 139
Small gap, 254
Smooth strip, 163
Sphere, 291
Stack, 263
Stagnation point flow, 62
Streamwise vortex, 2
Stretched surface, 280
Strouhal number, 389
Subgrid scale (SGS) modeling, 341
Swirl flow, 78

Temperature profile, 307
Thermal structures, 349
Thermal systems, 50
Thermodependency, 125
Thermohydraulics, 307
Thin layer, 178
Three components 1-D models, 272
Time-dependent heating, 217
Transition, 376
Transitional, 88
Turbulence, 2, 78, 194, 315, 333, 341, 365, 477
Turbulence modeling, 429, 440
Turbulence models, 333, 486
Turbulent, 163
Turbulent flow, 171, 398, 417
Turbulent statistics, 477
Two-equation model, 405
Two-phase flow, 272

Variable properties, 486
Velocity measurement, 106
Vertical pipe flow, 486
Visualization, 2
Volumetric heating, 217
Vortex generation, 376
Vortex merging, 327
Vortices, 376
V-shaped sump, 236

Wall effects, 471
Wall skin friction, 56
Wall turbulence, 2
Wet snow, 43